

Tables Relating Measures to Data Sources and Populations

Data Sources for Report Card Measures¹

ACCESS	Consumer Response	Clinician Response: CHILDREN	Clinician Response: ADULTS	MIS/ Administrative Records
Access 1: Average time from request to face-to-face meeting.				X
Access 2: Convenience of service location.	X			
Access 3: Convenience appointment times.	X			
Access 4: Easy access to therapist	X			
Access 5: Average resources spent on services				X
Access 6: Resources spent on consumer-run services				X
Access 7: Resources spent on services in natural settings.				X
Access 8: Service availability	X			
Access 9: Access to culturally competent provider.	X			
Access 10: Percent of persons receiving only one service.				X
Access 11: Percent of persons receiving SSI/SSDI and services.				X
Access 12: Cost is obstacle to services	X			
APPROPRIATENESS				
Appro 1: Active participation in decisions concerning treatment.	X			
Appro 2: Coercion into treatment options.	X			
Appro 3: Percent of involuntary admissions to inpatient treatment.				X
Appro 4: Resources spent on services that promote recovery.				X
Appro 5: Percent of consumers who receive services that promote recovery.	X			
Appro 6: Percent of persons discharged from inpatient care who receive services in 7 days.				X
Appro 7: Percent of Persons discharged from emergency care who receive services in 3 days.				X
Appro 8: Percent of persons who change provider during year or term of treatment.				X

¹This table highlights data sources for *individual measures* listed in the technical appendix.

APPROPRIATENESS (Continued)	Consumer Response	Clinician Response: CHILDREN	Clinician Response: ADULTS	MIS/ Administrative Records
Appro 9a: Percent of consumers in staff positions.				X
Appro 9b: Amount expended on peer advocates.				X
Appro 9c: Percent of consumers on planning teams.				X
Appro 9d: Percent of family members on planning teams.				X
Appro 10: Receipt of information to make informed choices	X			
Appro 11: Treatment follows accepted best-practice guidelines.				X
OUTCOMES				
Outcomes 1: Persons who are connected to primary care.				X
Outcomes 2: Mortality due to medical causes.				X
Outcomes 3: Average level of involuntary movements.			AIMS	
Outcomes 4a: Percent of consumers who experience decreased psychological distress.	SCL-90/BSI (clinician-administered)			
Outcomes 4b: Decreased level on CAFAS mood scale.		CAFAS		
Outcomes 5: Percent of consumers who experience increased self-respect	Rosenberg Self-Esteem Scale			
Outcomes 6a: Impairment from substance use.			Clinical Alcohol and Drug Use Scale	
Outcomes 6b: Decrease in CAFAS substance abuse scale.		CAFAS		
Outcomes 7: Persons involved in competitive employment.	X			
Outcomes 8: Work days lost.	X			
Outcomes 9: Increase on CAFAS school performance scale.		CAFAS		
Outcomes 10: ADM problems interfere with productive activity.	X			

OUTCOMES (Continued)	Consumer Response	Clinician Response: CHILDREN	Clinician Response: ADULTS	MIS/ Administrative Records
Outcomes 11: Percent of children placed out of home.				X
Outcomes 12: Percent of adults living in own residences.	X			
Outcomes 13: Percent of consumers whose housing improves as a result of treatment.	X			
Outcomes 14a: Children experience an increased level of functioning.		CAFAS		
Outcomes 14b: Adults experience an increased level of functioning.	X			
Outcomes 15a: Adults in jail.	X			
Outcomes 15b: Change in legal system involvement reported on CAFAS		CAFAS		
Outcomes 16: Involvement in self-help activities.	X			
Outcomes 17: Inpatient readmissions within 30 days.				X
Outcomes 18: Report of positive changes	X			
Outcomes 19a and b: Adult activities with family, friends.	SF-36 items; consumer report			
Outcomes 19c: Change in CAFAS behavior toward others scale.		CAFAS		
Prevention				
Prevention 1: Expenditures on preventive information				X
Prevention 2: Percent of persons participating in preventive programs.				X

Report Card Measures by Population²

ACCESS	Children/ Adolescents with SED	Other Children/ Adolescents	Adults with SMI	Other Adults	Adults with Dual Diagnosis (MI and SA)	Total Population
Access 1: Average time from request to face-to-face meeting.	X	X	X	X	X	X
Access 2: Convenience of service location.			X	X	X	
Access 3: Convenient appointment times.			X	X	X	
Access 4: Easy access to therapist.			X	X	X	
Access 5: Average resources spent on services	X	X	X	X	X	X
Access 6: Resources spent on consumer-run services			X			
Access 7: Resources spent on services in natural settings.	X	X				
Access 8: Service availability.			X	X	X	
Access 9: Access to culturally competent provider.			X	X	X	
Access 10: Percent of persons receiving only one service.	X	X	X	X	X	X
Access 11: Percent of persons receiving SSI/SSDI and services.			X	X	X	
Access 12: Cost is obstacle to services			X	X	X	
APPROPRIATENESS						
Appro 1: Active participation in decisions concerning treatment.			X	X	X	
Appro 2: Coercion into treatment options.			X	X	X	
Appro 3: Percent of involuntary admissions to inpatient treatment.			X	X	X	
Appro 4: Resource spent on services that promote recovery.			X			
Appro 5: Percent of consumers who receive services that promote recovery.			X			
Appro 6: Percent of persons discharged from inpatient care who receive services in 7 days.	X	X	X	X	X	X
Appro 7: Percent of persons discharged from emergency care who receive services in 3 days.	X	X	X	X	X	X
Appro 8: Percent of Persons who change provider during the year or term of treatment.	X	X	X	X	X	X

²This table highlights specific populations for which each individual measure will be computed.

Report Card Measures by Population

APPROPRIATENESS (Continued)	Children/ Adolescents with SED	Other Children/ Adolescents	Adults with SMI	Other Adults	Adults with Dual Diagnosis (MI and SA)	Total Population
Appro 9a: Percent of consumers in staff positions.						X
Appro 9b: Amount expended on peer advocates.						X
Appro 9c: Percent of consumers on planning teams.						X
Appro 9d: Percent of family members on planning teams.			X	X	X	
Appro 10: Treatment follows accepted best-practice guidelines.			X	X		
OUTCOMES						
Outcomes 1: Persons who are connected to primary care.	X	X	X	X	X	X
Outcomes 2: Mortality due to medical causes.			X	X		
Outcomes 3: Average level of involuntary movements.			X			
Outcomes 4a: Percent of consumers who experience decreased psychological distress.			X	X	X	
Outcomes 4b: Decreased level on CAFAS mood scale.	X	X				
Outcomes 5: Percent of consumers who experience increased self-respect			X			
Outcomes 6a: Impairment from substance use.			X	X	X	
Outcomes 6b: Decrease in CAFAS substance abuse scale	X	X				
Outcomes 7: Persons involved in competitive employment.			X			
Outcomes 8: Work days lost.				X		
Outcomes 9: Increase on CAFAS school performance scale.	X	X				
Outcomes 10: ADM problems interfere with productive activity.				X	X	

Report Card Measures by Population

OUTCOMES (Continued)	Children/ Adolescents with SED	Other Children/ Adolescents	Adults with SMI	Other Adults	Adults with Dual Diagnosis (MI and SA)	Total Population
Outcomes 11: Percent of children placed out of home.	X					
Outcomes 12: Percent of adults living in own residence.			X			
Outcomes 13: Percent of consumers whose housing improves as a result of treatment.			X			
Outcomes 14a: Children experience an increased level of functioning.	X	X				
Outcomes 14b: Adults experience an increased level of functioning.			X	X	X	
Outcomes 15a: Adults in jail		X	X	X	X	
Outcomes 15b: Change in legal system involvement reported on CAFAS	X	X				
Outcomes 16: Involvement in self-help activities.			X	X	X	
Outcomes 17: Inpatient readmissions within 30 days.	X	X	X	X	X	X
Outcomes 18: Report of positive changes.			X	X	X	
Outcomes 19a and b: Adult activities with family and friends.			X	X	X	
Outcomes 19c: Changes in CAFAS behavior toward others scale.	X	X				
Prevention						
Prevention 1: Expenditures on preventive information.						X
Prevention 2: Percent of Persons participating in preventive programs						X

